



FICHE TECHNIQUE BOÎTIER REPPRO

Le REPPRO INOX est un répulsif électronique ultrasonique contre les rongeurs et les insectes destiné aux professionnels.

Facile d'utilisation, écologique et efficace grâce à un système à ultrasons puissant et fiable à fréquences variables, il fait fuir les nuisibles de la zone d'emploi de l'appareil.

Eloigne : Rats – Souris – Loirs – Cafards – Blattes - Araignées – Puces

Caractéristiques du boîtier:

- Répulsif ultrasonique
- Ne fonctionne pas en extérieur
- Protège une surface vide de 100 m² maximum. La surface protégée diminue sensiblement en fonction de l'encombrement de la pièce et des matières qui constituent les murs, sols et plafonds.
- Boîtier professionnel en inox très solide.
- Dimensions 135 x 40 x 65 mm
- Se branche simplement dans une prise de courant 220V avec son adaptateur
- Sélecteur de fréquences en fonction des nuisibles à faire fuir (3 fréquences + mode test).
- Efficacité visible après 72 heures, 2 semaines pour les rats
- Consommation d'énergie: max. 0,6 Watt
- 4 LEDS témoins de fonctionnement
- Technologie et fabrication françaises
- Norme CE
- HS CODE 85432000
- Poids net 250 gr Poids brut 600 grs dim 150 x 150 x 60 mm

FONCTIONNEMENT EN GROUPE


On peut coupler de 2 à 10 boîtiers, c'est-à-dire les relier entre eux par des câbles de liaison blindés d'une longueur de 10 mètres. Le blindage des câbles permet d'éviter toute interférence. Lorsqu'ils fonctionnent couplés, un seul boîtier a le

bouton de sélection actif, il est désigné comme le « maître ». Le boîtier maître est le seul du groupe à être branché sur secteur.

FACE AVANT



FACE ARRIÈRE



SPECIFICATIONS

The REPPRO INOX is an ultrasonic electronic repellent against rodents and insects for professionals.

Easy to use, environmentally friendly and efficient thanks to a powerful and reliable system variables ultrasonic frequencies, it drives away harmful to the employment area of the unit.

Take away: Mice - Mouse - Dormice - Cockroaches - Cockroaches - Spiders – Bullets

Characteristics:

- Ultrasonic Repellent
- Do not work outdoors
- Protects a maximum area of 200 sqm. The protected surface substantially decreases with the size of the room and materials which constitute the walls, floors and ceilings.
- Professional housing very solid stainless steel.
- Dimensions 135 x 40 x 65 mm
- Simply plug into a 220V outlet with its adapter
- Frequency select depending harmful to scare (3 + frequency test mode).
- Visible results after 72 hours, 2 weeks to rats
- Power consumption: max. 0.6 Watt
- 4 LED operating indicators for
- French Technology and Manufacturing
- CE Standard
- HS CODE 85432000
- Net Weight 250g Gross Weight 600 grams Sun 150 x 150 x 60 mm

Group operating

May be coupled from two to ten enclosures, that is to say, linking them by shielded connection wires with a length of 10 meters. The cable shielding prevents interference. When functioning coupled, one case has the active selection button, it is designated as the "master." The master unit is the only one of the group to which it will connect the power supply.